

This certificate is granted and awarded by the authority of the Nadcap Management Council to:

Westmoreland Mechanical Testing and Research, Inc.

221 Westmoreland Drive Youngstown, PA 15696 United States

This certificate demonstrates conformance and recognition of accreditation for specific services, as listed in www.eAuditNet.com on the Qualified Manufacturer's List (QML), to the revision in effect at the time of the audit for:

Materials Testing Laboratories

Certificate Number: 3445223835 Expiration Date: 31 May 2026 Accreditation Length: 18 Months

Jay Solomond

Executive Vice President & Chief Operating Officer



SCOPE OF ACCREDITATION

Materials Testing Laboratories

Westmoreland Mechanical Testing and Research, Inc.

221 Westmoreland Drive Youngstown, PA 15696

This certificate expiration is updated based on periodic audits. The current expiration date and scope of accreditation are listed at: www.eAuditNet.com - Online QML (Qualified Manufacturer Listing).

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

AC7000 Rev A - AUDIT CRITERIA FOR NADCAP ACCREDITATION

AC7101/1 Rev H - Nadcap Audit Criteria for Materials Testing Laboratories – General Requirements for All Laboratories (to be used on audits on/AFTER 10-Dec-2023)

AC7101/2 Rev E - Nadcap Audit Criteria for Materials Testing Laboratories – Chemical Analysis (to be used on audits on/after 30 August 2020)

- (F) Atomic or Optical Emission Spectroscopy (AES or OES)
 - (F2) Atomic Emission Spectroscopy Inductively Coupled Plasma (ICP–OES/AES)
 - (F3) Atomic Emission Spectroscopy Spark/Arc (S/A–OES)
- (G) Elemental Analysis (Combustion or Fusion)
 - (G1) Carbon
 - (G2) Hydrogen
 - (G3) Nitrogen
 - (G4) Oxygen
 - (G5) Sulfur
- (V) Mass Spectrometry
- (W) Atomic Absorption
 - (W2) Graphite Furnace (GFAA)

Specify the Alloy Base for Accreditation

Al Base

Co Base

Cu Base

Fe Base

Mg base

Ni Base

Ti Base

Testing (to be used on audits on/after 4 December 2016)

- (A) Room Temperature Tensile
- (A1) Room Temperature Tensile with Elastic (Young's) Modulus
- (B) Elevated Temperature Tensile
- (CT) Compression Testing
- (KR) Curve (Resistance to Fracture) Testing
- (N) Impact
- (O) High Cycle Fatigue
- (P) Fracture Toughness
- (XE) Crack Propagation/Crack Growth Testing
- (XN) Bend Testing
- (Y) Low Cycle Fatigue

AC7101/4 Rev F - Nadcap Audit Criteria for Materials Testing Laboratories – Metallography and Microindentation Hardness (to be used on/after 14 August, 2016)

- (L0) Metallographic Evaluation
- (L1) Microindentation (Interior)
- (L10) Near Surface Examinations Carburization / Decarburization
- (L11) Grain Size
- (L12) Inclusion Rating
- (L2) Near Surface Examinations Alloy Depletion
- (L3) Near Surface Examinations Oxidation/Corrosion
- (L4) Near Surface Examinations Casting (Mold) Reactions Layers
- (L5) Near Surface Examinations Microindentation (Surface–Case Depth)
- (L6) Near Surface Examinations Nitriding
- (L7) Near Surface Examinations IGA, IGO
- (L8) Near Surface Examinations Alpha Case: Wrought Titanium
- (L9) Near Surface Examinations Alpha Case: Cast Titanium
- (XL) Macro Examination

AC7101/5 Rev E - Nadcap Audit Criteria for Materials Testing Laboratories – Hardness Testing (Macro) (to be used on audits on/AFTER 07-May-2023)

- (M1) Brinell Hardness
- (M2) Rockwell Hardness
- (M3) Vickers Hardness
- (M4) Electrical Conductivity Inspection

AC7101/6 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Corrosion (to be used on/after 1 July 2018)

- (Q) Salt Spray
- (Q1) Detecting susceptibility to intergranular attack in austenitic stainless steel

- (Q1-1) Oxalic Acid Etch Test
- (Q1-2) Ferric Sulfate-Sulfuric Acid Test "Streicher test" (mass loss)
- (Q1-3) Nitric Acid Test "Huey test" (mass loss)
- (Q1-4A) Copper-Copper Sulfate- 16% Sulfuric Acid Test "Strauss test" (bend test)
- (Q1-4B) 35% sulfuric acid/copper sulfate test (bend test)
- (Q1-4C) 40% sulfuric acid/ferric sulfate test (bend test)
- (Q1-5) Copper-Copper Sulfate-50 % Sulfuric Acid Test (mass loss)
- (Q2) Alternate immersion stress corrosion testing ASTM G 44
- (Q2-1) ASTM G 49
- (Q2-2) ASTM G 39
- (Q2-3) ASTM G 38
- (Q2-4) ASTM G 30
- (Q3) ASTM G 34

AC7101/7 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Mechanical

Testing Specimen Preparation (to be used on audits on/after 15 May 2016)

- (Z) Standard Specimen Machining
- (Z1) Low Stress Grinding
- (Z2) Low Stress Grinding and Polishing
- (Z3) Cast Specimens
- (Z4) Special Preparation

AC7101/9 Rev C - Nadcap Audit Criteria for Materials Testing Laboratories – Specimen Heat Treating (to be used on/after15 January 2017)

AC7101/11 Rev C - Nadcap Audit Criteria for Materials Testing Laboratories – Fastener Testing (to be used on audits on/after 25 October 2015)

- (11) Fatigue
- (13) Shear Strength Double Shear
- (14) Stress Durability Internal Threads
- (18) Tensile Test Elevated Temperature Tensile
- (40L10) Metallography Decarburization / Carburization
- (40L2) Metallography Alloy Depletion
- (40L25) Metallography Grain Size
- (40L3) Metallography Oxidation / Corrosion
- (40L7) Metallography IGA / IGO
- (40L8) Metallography Alpha Case: Wrought Titanium
- (5) Stress Durability External Threads
- (6-L5) Hardness Microindentation Hardness
- (6-M2) Hardness Rockwell
- (6-M3) Hardness Vickers

- (8–A) Tensile Test Axial Tensile
- (8-P) Tensile Test Proof Load (nuts / screws)
- (8–W) Tensile Test Wedge Tensile
- (Q) Corrosion Salt Spray
- (QF) Corrosion Copper Sulfate

AC7101/14 Rev NA - Nadcap Audit Criteria for Materials Testing Laboratories – Proficiency Testing and Internal Round Robin Requirements for ALL Laboratories (to be used on audits on/AFTER 10-Dec-2023)

ISO/IEC - Currently accredited by an ILAC approved source

Lab Type - Lab Type

Independent



This certificate is granted and awarded by the authority of the Nadcap Management Council to:

Westmoreland Mechanical Testing and Research, Inc.

14 Bayhill Drive Latrobe, PA 15650 United States

This certificate demonstrates conformance and recognition of accreditation for specific services, as listed in www.eAuditNet.com on the Qualified Manufacturer's List (QML), to the revision in effect at the time of the audit for:

Materials Testing Laboratories

Certificate Number: 11237223836 Expiration Date: 31 May 2026 Accreditation Length: 18 Months

Jay Solomond

Executive Vice President & Chief Operating Officer



SCOPE OF ACCREDITATION

Materials Testing Laboratories

Westmoreland Mechanical Testing and Research, Inc.

14 Bayhill Drive Latrobe, PA 15650

This certificate expiration is updated based on periodic audits. The current expiration date and scope of accreditation are listed at: www.eAuditNet.com - Online QML (Qualified Manufacturer Listing).

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

AC7000 Rev A - AUDIT CRITERIA FOR NADCAP ACCREDITATION

AC7101/1 Rev H - Nadcap Audit Criteria for Materials Testing Laboratories – General Requirements for All Laboratories (to be used on audits on/AFTER 10-Dec-2023)

AC7101/3 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Mechanical Testing (to be used on audits on/after 4 December 2016)

- (A) Room Temperature Tensile
- (A1) Room Temperature Tensile with Elastic (Young's) Modulus
- (B) Elevated Temperature Tensile
- (C) Stress Rupture
- (CT) Compression Testing
- (KR) Curve (Resistance to Fracture) Testing
- (N) Impact
- (O) High Cycle Fatigue
- (P) Fracture Toughness
- (XA) Creep
- (XE) Crack Propagation/Crack Growth Testing
- (Y) Low Cycle Fatigue

AC7101/4 Rev F - Nadcap Audit Criteria for Materials Testing Laboratories – Metallography and Microindentation Hardness (to be used on/after 14 August, 2016)

- (L0) Metallographic Evaluation
- (L10) Near Surface Examinations Carburization / Decarburization
- (L11) Grain Size
- (L12) Inclusion Rating
- (L13) Replication
- (L2) Near Surface Examinations Alloy Depletion
- (L3) Near Surface Examinations Oxidation/Corrosion

- (L4) Near Surface Examinations Casting (Mold) Reactions Layers
- (L6) Near Surface Examinations Nitriding
- (L7) Near Surface Examinations IGA, IGO
- (L8) Near Surface Examinations Alpha Case: Wrought Titanium
- (L9) Near Surface Examinations Alpha Case: Cast Titanium
- (XL) Macro Examination

AC7101/5 Rev E - Nadcap Audit Criteria for Materials Testing Laboratories – Hardness Testing (Macro) (to be used on audits on/AFTER 07-May-2023)

- (M1) Brinell Hardness
- (M2) Rockwell Hardness

AC7101/7 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Mechanical Testing Specimen Preparation (to be used on audits on/after 15 May 2016)

- Testing Specimen Preparation (to be used on audits on/after 15 May 2016)
- (Z) Standard Specimen Machining
- (Z1) Low Stress Grinding
- (Z2) Low Stress Grinding and Polishing
- (Z3) Cast Specimens
- (Z4) Special Preparation

AC7101/9 Rev C - Nadcap Audit Criteria for Materials Testing Laboratories – Specimen Heat Treating (to be used on/after15 January 2017)

AC7101/11 Rev C - Nadcap Audit Criteria for Materials Testing Laboratories – Fastener Testing (to be used on audits on/after 25 October 2015)

- (10) Stress Rupture
- (11) Fatigue
- (14) Stress Durability Internal Threads
- (18) Tensile Test Elevated Temperature Tensile
- (40L10) Metallography Decarburization / Carburization
- (40L2) Metallography Alloy Depletion
- (40L25) Metallography Grain Size
- (40L3) Metallography Oxidation / Corrosion
- (40L7) Metallography IGA / IGO
- (40L8) Metallography Alpha Case: Wrought Titanium
- (5) Stress Durability External Threads
- (6-M2) Hardness Rockwell
- (8-A) Tensile Test Axial Tensile
- (8–P) Tensile Test Proof Load (nuts / screws)
- (8-W) Tensile Test Wedge Tensile

AC7101/14 Rev NA - Nadcap Audit Criteria for Materials Testing Laboratories – Proficiency Testing and Internal Round Robin Requirements for ALL Laboratories (to be used on audits on/AFTER 10-Dec-2023)

ISO/IEC - Currently accredited by an ILAC approved source

Lab Type - Lab Type

Independent